

# SAFETY DATA SHEET Screen-Clene 250ml Pump Spray

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

#### SECTION 1: Identification: Product identifier and chemical identity

Product identifier

**Product name** Screen-Clene 250ml Pump Spray

Product No. ASCS250, ZA

Relevant identified uses of the substance or mixture and uses advised against

**Application** Cleaning agent.

**Uses advised against**No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier AF International - Australasia

H K WENTWORTH PTY LIMITED

P.O. BOX 7336 WARRINGAH MALL BROOKVALE, NSW 2100

**AUSTRALIA** 

SYNERGY ELECTRONICS LTD 39 RICHARD PEARSE DRIVE

AIRPORT OAKS AUCKLAND 3045

AUSTRALIA TEL: +61 (0) 2 9938 1566, FAX: +61 (0) 2 9938 1467 NEW ZEALAND TEL: +64 (0) 9 836 6588, FAX +64 (0) 9 836 9169

info@af-net.com

Emergency telephone number

Emergency telephone IN CASE OF EMERGENCY CALL:

+61 2 8014 4558 (Australia) (24hr, Provided by Carechem 24) +64 9 929 1483 (New Zealand) (24hr, Provided by Carechem 24)

#### SECTION 2: Hazard(s) identification

# Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

**Environmental hazards** Aquatic Acute 3 - H402

Label elements

**Hazard statements** H402 Harmful to aquatic life.

**Precautionary statements** P273 Avoid release to the environment.

P501 Dispose of contents/ container in accordance with national regulations.

Other hazards

# Screen-Clene 250ml Pump Spray

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

#### SECTION 3: Composition and information on ingredients

#### **Mixtures**

2-Butoxyethanol 0.1-1%

CAS number: 111-76-2

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

1-Methoxy-2-propanol 0.1-1%

CAS number: 107-98-2

Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336

# Benzyl-C12-14-alkyldimethylammonium chlorides

<0.1%

CAS number: 68424-85-1

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

## 3-iodo-2-propynyl butylcarbamate

<0.1%

CAS number: 55406-53-6

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Acute Tox. 3 - H331 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT RE 1 - H372 Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

# Screen-Clene 250ml Pump Spray

Ethanol <0.1%

CAS number: 64-17-5

Classification Flam. Liq. 2 - H225

Diethyl phthalate <0.1%

CAS number: 84-66-2

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

**Inhalation** No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any

discomfort continues.

**Ingestion**No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Rinse mouth. Get medical attention if any discomfort continues.

Skin Contact No specific recommendations. Rinse with water. Get medical attention if any discomfort

continues.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical

attention if any discomfort continues.

**Protection of first aiders**Use protective equipment appropriate for surrounding materials.

#### Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Temporary irritation.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** May cause discomfort.

**Eye contact** May be slightly irritating to eyes.

#### Indication of any immediate medical attention and special treatment needed

**Specific treatments** No special treatment required.

#### SECTION 5: Firefighting measures

#### Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

# Screen-Clene 250ml Pump Spray

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

**Hazardous combustion** 

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions No specific recommendations. For personal protection, see Section 8.

**Environmental precautions** 

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

# Methods and material for containment and cleaning up

**Methods for cleaning up**Reuse or recycle products wherever possible. Absorb spillage to prevent material damage.

Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

Dispose of contents/container in accordance with national regulations.

Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

Usage precautions Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear

protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists.

spins. Reep container lightly sealed when not in use. Avoid the formation of this

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

# Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). No specific recommendations.

Storage class Unspecified storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

#### SECTION 8: Exposure controls and personal protection

#### Control parameters

# Screen-Clene 250ml Pump Spray

#### Occupational exposure limits

#### 2-Butoxyethanol

Long-term exposure limit (8-hour TWA): 20 ppm 96.9 mg/m<sup>3</sup> Short-term exposure limit (15-minute): 50 ppm 242 mg/m³

#### 1-Methoxy-2-propanol

Long-term exposure limit (8-hour TWA): 100 ppm 369 mg/m<sup>3</sup> Short-term exposure limit (15-minute): 150 ppm 553 mg/m<sup>3</sup>

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m<sup>3</sup>

#### Diethyl phthalate

Long-term exposure limit (8-hour TWA): 5 mg/m<sup>3</sup>

Sk = Absorption through the skin may be a significant source of exposure.

#### **Exposure controls**

Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection No specific eye protection required during normal use. Large Spillages: Eyewear complying

with an approved standard should be worn if a risk assessment indicates eye contact is

possible.

Hand protection No specific hand protection recommended.

Not determined.

Not determined.

Not determined.

Not determined.

Other skin and body

protection

Appropriate footwear and additional protective clothing complying with an approved standard

should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Respiratory protection No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is

inadequate, suitable respiratory protection must be worn.

**Environmental exposure** 

controls

Odour threshold

Melting point

**Evaporation rate** 

Not regarded as dangerous for the environment.

#### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

**Appearance** Liquid.

Colour Colourless.

Odour Characteristic.

pН

Initial boiling point and range Not determined.

Flash point >60°C Closed cup.

**Evaporation factor** Not determined.

Flammability (solid, gas) Not determined.

# Screen-Clene 250ml Pump Spray

Flammability Limit - Lower(%) Not determined.

Other flammability Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 0.997

Bulk density Not determined.

Solubility(ies) Not determined.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

**Decomposition Temperature** Not determined.

Viscosity Not determined.

**Explosive properties** Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

#### SECTION 10: Stability and reactivity

**Reactivity** See the other subsections of this section for further details.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or

combustion products may include the following substances: Harmful gases or vapours.

#### SECTION 11: Toxicological information

#### Information on toxicological effects

**Toxicological effects** Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Summary

Based on available data the classification criteria are not met.

Notes (oral LD<sub>50</sub>)

Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary

Based on available data the classification criteria are not met.

Notes (dermal LD<sub>50</sub>)

Based on available data the classification criteria are not met.

Acute toxicity - inhalation

**Summary** Based on available data the classification criteria are not met.

# Screen-Clene 250ml Pump Spray

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

**Summary** Based on available data the classification criteria are not met.

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

**Summary** Based on available data the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Summary** Based on available data the classification criteria are not met.

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Summary** Based on available data the classification criteria are not met.

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Summary** Based on available data the classification criteria are not met.

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

**Summary** Based on available data the classification criteria are not met.

Carcinogenicity Based on available data the classification criteria are not met.

**IARC carcinogenicity**None of the ingredients are listed or exempt.

Reproductive toxicity

**Summary** Based on available data the classification criteria are not met.

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**Summary** Based on available data the classification criteria are not met.

**STOT - single exposure**Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**Summary** Based on available data the classification criteria are not met.

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

**Summary** Based on available data the classification criteria are not met.

**Aspiration hazard** Based on available data the classification criteria are not met.

General information No specific health hazards known. The severity of the symptoms described will vary

dependent on the concentration and the length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Temporary irritation.

# Screen-Clene 250ml Pump Spray

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** May cause discomfort.

**Eye contact** May be slightly irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

#### SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

**Toxicity** Based on available data the classification criteria are not met.

Acute aquatic toxicity

**Summary** Based on available data the classification criteria are not met.

Chronic aquatic toxicity

**Summary** Based on available data the classification criteria are not met.

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bioaccumulative Potential No data available on bioaccumulation.

Partition coefficient Not determined.

Mobility in soil

Mobility No data available.

Other adverse effects

Other adverse effects None known.

### SECTION 13: Disposal considerations

#### Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe

way.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

#### **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADG).

**UN number** 

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

# Screen-Clene 250ml Pump Spray

No transport warning sign required.

#### Packing group

Not applicable.

#### **Environmental hazards**

Environmentally hazardous substance/marine pollutant

No

#### Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Model Work Health and Safety Regulations (as amended)

Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice

Labelling of Workplace Hazardous Chemicals - Code of Practice

#### **Product Type**

#### **Inventories**

#### Australia - AICS

All the ingredients are listed or exempt.

#### New Zealand - NZIOC

All the ingredients are listed or exempt.

3-iodo-2-propynyl butylcarbamate

Present.

1-Methoxy-2-propanol

Present.

2-Butoxyethanol

Present.

Benzyl-C12-14-alkyldimethylammonium chlorides

Present.

Ethanol

Present.

Diethyl phthalate

Present.

#### SECTION 16: Any other relevant information

# Screen-Clene 250ml Pump Spray

# Abbreviations and acronyms used in the safety data sheet

ADG: Australian dangerous goods code

IATA: International air transport association.

ICAO: Technical instructions for the safe transport of dangerous goods by air.

IMDG: International maritime dangerous goods.

CAS: Chemical abstracts service. ATE: Acute toxicity estimate.

LC₅o: Lethal concentration to 50 % of a test population.

LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).

EC<sub>50</sub>: 50% of maximal effective concentration.

PBT: Persistent, bioaccumulative and toxic substance.

vPvB: Very persistent and very bioaccumulative.

**Training advice** Read and follow manufacturer's recommendations.

**Issued by** Damian Robertson

Revision date 28/09/2021

Revision 2.2

**SDS No.** 212

Hazard statements in full

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs (Larynx) through prolonged or repeated exposure.

H400 Very toxic to aquatic life. H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.