



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and  
Regulation (EC) No. 1272/2008

Revision date 12-12-2023

Revision Number 3.12

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### 1.1. Product identifier

**Product Name** IPA Impregnated Foam Buds x25  
**Product Code(s)** AFBUIPA25, ZA  
**Safety data sheet number** 00256  
**Unique Formula Identifier (UFI)** GYP0-W0D4-800J-DYUF  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Cleaning agent  
**Uses advised against** No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>	<u>Supplier</u>
AF INTERNATIONAL MacDermid Alpha Electronics Solutions ASHBY PARK COALFIELD WAY ASHBY de la ZOUCH LEICESTERSHIRE. LE65 1JR UNITED KINGDOM	HK WENTWORTH LIMITED 32 RUE DE TOURNENFILS 91540 MENNECY FRANCE
+44 (0) 1530 419600 +44 (0) 1530 416640	+33 (0) 1 82 88 47 94

info@af-net.com

info@af-net.com

For further information, please contact

**E-mail address** info@af-net.com

### 1.4. Emergency telephone number

**Emergency Telephone** National Poisons Information Centre. +353 (0) 1 809 2566 (Healthcare Professionals),  
+353(0) 1 809 2166

Emergency Telephone - IN CASE OF EMERGENCY CALL: +44 1235 239670

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No. 1272/2008 [CLP]

<b>Flammable liquids</b>	Category 2 - (H225)
<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
<b>Specific target organ toxicity (single exposure)</b>	Category 3 - (H336)
Category 3 Narcotic effects	

### 2.2. Label elements

Contains Propan-2-ol



#### Signal word

Danger

#### Hazard statements

H225 - Highly flammable liquid and vapor  
H225 - Highly flammable liquid and vapor  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness

#### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No.	Specific concentration	M-Factor	M-Factor (long-term)
---------------	----------	---------------------------	---------------------	---	------------------------	----------	----------------------

				1272/2008 [CLP]	limit (SCL)		
Propan-2-ol 67-63-0	60-100	01-2119457558-25-00 00	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-

**Full text of H- and EUH-phrases: see section 16**Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	None.

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling****Advice on safe handling**

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations**

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

**7.2. Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

**Storage class (TRGS 510)**

Storage class 10.

**7.3. Specific end use(s)**

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Propan-2-ol 67-63-0	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL 800 ppm STEL 2000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	STEL: 1225.0 mg/m <sup>3</sup> TWA: 980.0 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Propan-2-ol 67-63-0	-	TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup> D*	TWA: 200 ppm TWA: 490 mg/m <sup>3</sup> STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Propan-2-ol 67-63-0	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Peak: 400 ppm Peak: 1000 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> TWA: 200 ppm STEL: 1000 mg/m <sup>3</sup> STEL: 400 ppm b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	-	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup> STEL: 600 mg/m <sup>3</sup>	STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>

	Sk*		STEL: 400 ppm STEL: 983 mg/m <sup>3</sup>		TWA: 150 ppm TWA: 350 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Propan-2-ol 67-63-0	-	-	-	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 150 ppm STEL: 306.25 mg/m <sup>3</sup>	STEL: 1200 mg/m <sup>3</sup> TWA: 900 mg/m <sup>3</sup> skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland		United Kingdom
Propan-2-ol 67-63-0	Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m <sup>3</sup> NGV: 150 ppm NGV: 350 mg/m <sup>3</sup>		TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>		TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>

### Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Propan-2-ol 67-63-0	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Propan-2-ol 67-63-0	-	-	-	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift)
Chemical name	Hungary		Ireland	Italy MDLPS	Italy AIDII
Propan-2-ol 67-63-0	-		40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Propan-2-ol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
Propan-2-ol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	40 mg/L (urine - Acetone end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-	

### Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m <sup>3</sup> [4] [6]

[4] Systemic health effects.  
[6] Long term.

#### Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m <sup>3</sup> [4] [6]

[4] Systemic health effects.  
[6] Long term.

#### Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Environmental exposure controls No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid-impregnated wipe
Color	Colorless
Odor	Characteristic.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	12 °C	Closed cup
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	0.7855 @ 20°C	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties	Not considered to be explosive.
<b>Oxidizing properties</b>	Does not meet the criteria for classification as oxidising.

9.2.2. Other safety characteristics  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.



**Explosion data**

**Sensitivity to mechanical impact** None.  
**Sensitivity to static discharge** Yes.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**10.4. Conditions to avoid**

**Conditions to avoid** Heat, flames and sparks.

**10.5. Incompatible materials**

**Incompatible materials** None known based on information supplied.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** None known based on information supplied.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Acute toxicity****Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	99,999.00 mg/kg
<b>ATEmix (dermal)</b>	4,059.00 mg/kg
<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-vapor)</b>	99,999.00 mg/l
<b>ATEmix (inhalation-dust/mist)</b>	99,999.00 mg/l

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propan-2-ol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	May cause drowsiness or dizziness.
<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### 11.2.1. .

<b>Endocrine disrupting properties</b>	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--	---

#### 11.2.2. Other information

<b>Other adverse effects</b>	No information available.
------------------------------	---------------------------

## **SECTION 12: Ecological information**

### 12.1. Toxicity

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propan-2-ol	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i> ) EC50: >1000mg/L (72h,	LC50: =9640mg/L (96h, <i>Pimephales promelas</i> ) LC50: =11130mg/L (96h, <i>Pimephales promelas</i> )	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i> )

	Desmodemus subspicatus)	LC50: >1400000µg/L (96h, Lepomis macrochirus)		
--	-------------------------	---	--	--

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

**Component Information**

Chemical name	Partition coefficient
Propan-2-ol	0.05

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Propan-2-ol	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**SECTION 14: Transport information****IATA**

**14.1 UN number or ID number** UN3175  
**14.2 UN proper shipping name** 3175 - Solids containing flammable liquid, n.o.s.  
**14.3 Transport hazard class(es)** 4.1  
**14.4 Packing group** II  
**Description** Although this product meets the definition of UN3175, it is exempt as a small sealed article

	or packet containing <10ml of fully absorbed liquid. USDOT SP 47, UN SP 216, IATA/ICAO SP A46, TDG SP 56
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

**IMDG**

14.1 UN number or ID number	UN3175
14.2 UN proper shipping name	3175 - Solids containing flammable liquid, n.o.s.
14.3 Transport hazard class(es)	4.1
14.4 Packing group	II
Description	Although this product meets the definition of UN3175, it is exempt as a small sealed article or packet containing <10ml of fully absorbed liquid. USDOT SP 47, UN SP 216, IATA/ICAO SP A46, TDG SP 56
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

**RID**

14.1 UN number or ID number	UN3175
14.2 UN proper shipping name	3175 - Solids containing flammable liquid, n.o.s.
14.3 Transport hazard class(es)	4.1
14.4 Packing group	II
Description	Although this product meets the definition of UN3175, it is exempt as a small sealed article or packet containing <10ml of fully absorbed liquid. USDOT SP 47, UN SP 216, IATA/ICAO SP A46, TDG SP 56
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

**ADR**

14.1 UN number or ID number	UN3175
14.2 UN proper shipping name	3175 - Solids containing flammable liquid, n.o.s.
14.3 Transport hazard class(es)	4.1
14.4 Packing group	II
Description	Although this product meets the definition of UN3175, it is exempt as a small sealed article or packet containing <10ml of fully absorbed liquid. USDOT SP 47, UN SP 216, IATA/ICAO SP A46, TDG SP 56
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Propan-2-ol - 67-63-0	RG 84

**Germany**

**Water hazard class (WGK)** slightly hazardous to water (WGK 1)

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Biocidal Products Regulation (EU) No 528/2012 (BPR)**

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment**

**Chemical Safety Report** No information available

**SECTION 16: Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapor  
 H319 - Causes serious eye irritation  
 H336 - May cause drowsiness or dizziness

**Legend**

SVHC: Substances of Very High Concern for Authorization:

**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 12-12-2023

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**