



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008

Revision date 12-12-2023

Revision Number 2.43

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Foamclene 300ml Aerosol
Product Code(s) AFCL300, ZA
Safety data sheet number 01534
Unique Formula Identifier (UFI) FG72-8E09-A40R-H17R
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Detergent
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>	<u>Supplier</u>
AF INTERNATIONAL MacDermid Alpha Electronics Solutions ASHBY PARK COALFIELD WAY ASHBY de la ZOUCH LEICESTERSHIRE. LE65 1JR UNITED KINGDOM	HK WENTWORTH LIMITED 32 RUE DE TOURNENFILS 91540 MENNECY FRANCE
+44 (0) 1530 419600 +44 (0) 1530 416640	+33 (0) 1 82 88 47 94
info@af-net.com	info@af-net.com

For further information, please contact

E-mail address info@af-net.com

1.4. Emergency telephone number

Emergency Telephone National Poisons Information Centre. +353 (0) 1 809 2566 (Healthcare Professionals),
+353(0) 1 809 2166

Emergency Telephone - IN CASE OF EMERGENCY CALL: +44 1235 239670
--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008 [CLP]

Aerosols	Category 1 - (H222, H229)
----------	---------------------------

2.2. Label elements



Signal word

Danger

Hazard statements

H222 - Extremely flammable aerosol
H229 - Pressurized container: May burst if heated

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Additional information

Detergent labelling < 5% aliphatic hydrocarbons, < 5% anionic surfactants, < 5% non-ionic surfactants.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No.	Specific concentration	M-Factor	M-Factor (long-term)

				1272/2008 [CLP]	limit (SCL)		
Petroleum gases, liquefied 68476-85-7	1-5	No data available	270-704-2	Flam. Gas 1A (H220)	-	-	-
Propan-2-ol 67-63-0	1-5	01-2119457558-25-00 00	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
2-Butoxyethanol 111-76-2	1-5	01-2119475108-36-00 00	203-905-0	Acute Tox. 3 (H331) Eye Irrit. 2 (H319) Acute Tox. 4 (H302) Skin Irrit. 2 (H315)	-	-	-
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-47-8	1-5	01-2119456620-43-00 00	926-141-6	Asp. Tox. 1 (H304)	-	-	-
2-Aminoethanol 141-43-5	0.1-1	01-2119486455-28-00 00	205-483-3	Skin Corr. 1B (H314) Acute Tox. 4 (H332) Acute Tox. 4 (H302) Acute Tox. 4 (H312) STOT SE 3 (H335) Eye Dam. 1 (H318)	STOT SE 3 :: C>=5%	-	-
Sodium hydroxide 1310-73-2	<0.1	No data available	215-185-5	Skin Corr. 1A (H314) Eye Dam. 1 (H318)	Eye Irrit. 2 :: 0.5%<=C<2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	-	-
Ethanol 64-17-5	<0.1	01-2119457610-43-00 00	200-578-6	Flam. Liq. 2 (H225)	-	-	-

Full text of H- and EUH-phrases: see section 16Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available
2-Butoxyethanol 111-76-2	1200+ 470	435	No data available	3+ 2.1749 2.3489	No data available
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-47-8	5000	2000	No data available	No data available	No data available
2-Aminoethanol 141-43-5	1720	1000	1.95	No data available	No data available
Sodium hydroxide 1310-73-2	325	1350	No data available	No data available	No data available
Ethanol 64-17-5	7060	No data available	116.9 133.8	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No.

1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.
Effects of Exposure	None.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.
---	--

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapors/spray.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Advice on safe handling	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not
---------------------------	---

store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Petroleum gases, liquefied 68476-85-7	-	-	TWA: 1000 ppm TWA: 1826 mg/m ³	-	TWA: 1000 ppm TWA: 1750 mg/m ³ STEL: 1250 ppm STEL: 2180 mg/m ³
Propan-2-ol 67-63-0	-	TWA: 200 ppm TWA: 500 mg/m ³ STEL 800 ppm STEL 2000 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³	STEL: 1225.0 mg/m ³ TWA: 980.0 mg/m ³	TWA: 400 ppm TWA: 999 mg/m ³ STEL: 500 ppm STEL: 1250 mg/m ³
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *	TWA: 20 ppm TWA: 98 mg/m ³ STEL 40 ppm STEL 200 mg/m ³ H*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ D*	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³ K*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *
2-Aminoethanol 141-43-5	TWA: 1 ppm TWA: 2.5 mg/m ³ *	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL 3 ppm STEL 7.6 mg/m ³ Sh+	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ D*	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³ K*	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ *
Sodium hydroxide 1310-73-2	-	TWA: 2 mg/m ³ STEL 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2.0 mg/m ³	STEL: 2 mg/m ³
Ethanol 64-17-5	-	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL 2000 ppm STEL 3800 mg/m ³	TWA: 1000 ppm TWA: 1907 mg/m ³	TWA: 1000 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Petroleum gases, liquefied 68476-85-7	-	TWA: 1800 mg/m ³ Ceiling: 4000 mg/m ³	-	-	-
Propan-2-ol 67-63-0	-	TWA: 500 mg/m ³ Ceiling: 1000 mg/m ³ D*	TWA: 200 ppm TWA: 490 mg/m ³ STEL: 400 ppm STEL: 980 mg/m ³	TWA: 150 ppm TWA: 350 mg/m ³ STEL: 250 ppm STEL: 600 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 620 mg/m ³
2-Butoxyethanol 111-76-2	* STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	TWA: 100 mg/m ³ Ceiling: 200 mg/m ³ D*	TWA: 20 ppm TWA: 98 mg/m ³ H* STEL: 246 mg/m ³ STEL: 50 ppm	S+ TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ A*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ iho*

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-47-8	-	-	-	TWA: 5 mg/kg STEL: 500 mg/m ³	-
2-Aminoethanol 141-43-5	* STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³ Ceiling: 7.5 mg/m ³ D*	TWA: 1 ppm TWA: 2.5 mg/m ³ H* STEL: 7.6 mg/m ³ STEL: 3 ppm	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ A*	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ iho*
Sodium hydroxide 1310-73-2	-	TWA: 1 mg/m ³ Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³	Ceiling: 2 mg/m ³
Ethanol 64-17-5	-	TWA: 1000 mg/m ³ Ceiling: 3000 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 2000 ppm STEL: 3800 mg/m ³	TWA: 500 ppm TWA: 1000 mg/m ³ STEL: 1000 ppm STEL: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Petroleum gases, liquefied 68476-85-7	-	-	-	TWA: 1250 ppm TWA: 2250 mg/m ³ STEL: 1250 ppm STEL: 2250 mg/m ³	-
Propan-2-ol 67-63-0	STEL: 400 ppm STEL: 980 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ Peak: 400 ppm Peak: 1000 mg/m ³	TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³	TWA: 500 mg/m ³ TWA: 200 ppm STEL: 1000 mg/m ³ STEL: 400 ppm b*
2-Butoxyethanol 111-76-2	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ *	TWA: 10 ppm TWA: 49 mg/m ³ H*	TWA: 10 ppm TWA: 49 mg/m ³ Peak: 20 ppm Peak: 98 mg/m ³ *	TWA: 25 ppm TWA: 120 mg/m ³ *	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ b*
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-47-8	-	TWA:	TWA: 5 mg/m ³ TWA: 50 ppm TWA: 350 mg/m ³ Peak: 20 mg/m ³ Peak: 100 ppm Peak: 700 mg/m ³	-	-
2-Aminoethanol 141-43-5	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ *	TWA: 0.2 ppm TWA: 0.5 mg/m ³ Sh+ H* Skin sensitizer	TWA: 0.2 ppm TWA: 0.51 mg/m ³ Peak: 0.2 ppm Peak: 0.51 mg/m ³ skin sensitizer	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ *	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ b*
Sodium hydroxide 1310-73-2	TWA: 2 mg/m ³	-	-	TWA: 2 mg/m ³ STEL: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 2 mg/m ³
Ethanol 64-17-5	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	TWA: 200 ppm TWA: 380 mg/m ³	TWA: 200 ppm TWA: 380 mg/m ³ Peak: 800 ppm Peak: 1520 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 2000 ppm STEL: 3800 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Petroleum gases, liquefied 68476-85-7	-	-	Simple asphyxiant	-	-
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm Sk*	-	TWA: 200 ppm TWA: 492 mg/m ³ STEL: 400 ppm STEL: 983 mg/m ³	TWA: 350 mg/m ³ STEL: 600 mg/m ³	STEL: 250 ppm STEL: 600 mg/m ³ TWA: 150 ppm TWA: 350 mg/m ³
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	STEL: 20 ppm STEL: 100 mg/m ³ TWA: 10 ppm TWA: 50 mg/m ³

	Sk*	cute*		Ada*	O*
2-Aminoethanol 141-43-5	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Sk*	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ cute*	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³	TWA: 0.2 ppm TWA: 0.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Ada*	STEL: 7.6 mg/m ³ STEL: 3 ppm TWA: 2.5 mg/m ³ TWA: 1 ppm O*
Sodium hydroxide 1310-73-2	STEL: 2 mg/m ³	-	Ceiling: 2 mg/m ³	TWA: 0.5 mg/m ³	Ceiling: 2 mg/m ³
Ethanol 64-17-5	STEL: 1000 ppm	-	STEL: 1000 ppm STEL: 1884 mg/m ³	TWA: 1000 mg/m ³	STEL: 1000 ppm STEL: 1900 mg/m ³ TWA: 500 ppm TWA: 1000 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Propan-2-ol 67-63-0	-	-	-	TWA: 100 ppm TWA: 245 mg/m ³ STEL: 150 ppm STEL: 306.25 mg/m ³	STEL: 1200 mg/m ³ TWA: 900 mg/m ³ skóra*
2-Butoxyethanol 111-76-2	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³ Peau*	STEL: 50 ppm STEL: 246 mg/m ³ skin* TWA: 20 ppm TWA: 98 mg/m ³	TWA: 20.4 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ H*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 75 mg/m ³ H*	STEL: 200 mg/m ³ TWA: 98 mg/m ³ skóra*
2-Aminoethanol 141-43-5	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³ Peau*	STEL: 3 ppm STEL: 7.6 mg/m ³ skin* TWA: 1 ppm TWA: 2.5 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ H*	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 5 mg/m ³ H*	STEL: 7.5 mg/m ³ TWA: 2.5 mg/m ³ skóra*
Sodium hydroxide 1310-73-2	-	-	-	Ceiling: 2 mg/m ³	STEL: 1 mg/m ³ TWA: 0.5 mg/m ³
Ethanol 64-17-5	-	-	TWA: 137 ppm TWA: 260 mg/m ³ STEL: 1000 ppm STEL: 1900 mg/m ³ H*	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³	TWA: 1900 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Petroleum gases, liquefied 68476-85-7	TWA: 1000 ppm	-	-	-	TWA: 1000 ppm
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m ³ STEL: 203 ppm STEL: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ Ceiling: 1000 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Cutânea*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ P*	TWA: 20 ppm TWA: 98 mg/m ³ K* Ceiling: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ K*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 245 mg/m ³ via dérmica*
2-Aminoethanol 141-43-5	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Cutânea*	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ P*	TWA: 1 ppm TWA: 2.5 mg/m ³ K* Ceiling: 7.6 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ K*	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.5 mg/m ³ via dérmica*
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 2 mg/m ³	-	STEL: 2 mg/m ³
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ Ceiling: 1920 mg/m ³	TWA: 960 mg/m ³ TWA: 500 ppm STEL: 1000 ppm STEL: 1920 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³
Chemical name	Sweden		Switzerland	United Kingdom	

Petroleum gases, liquefied 68476-85-7	-	-	TWA: 1000 ppm TWA: 1750 mg/m ³ STEL: 1250 ppm STEL: 2180 mg/m ³
Propan-2-ol 67-63-0	Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m ³ NGV: 150 ppm NGV: 350 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³	TWA: 400 ppm TWA: 999 mg/m ³ STEL: 500 ppm STEL: 1250 mg/m ³
2-Butoxyethanol 111-76-2	Bindande KGV: 50 ppm Bindande KGV: 246 mg/m ³ NGV: 10 ppm NGV: 50 mg/m ³ H*	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 20 ppm STEL: 98 mg/m ³ H*	TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-47-8	-	TWA: 50 ppm TWA: 350 mg/m ³ TWA: 5 mg/m ³ STEL: 100 ppm STEL: 700 mg/m ³	-
2-Aminoethanol 141-43-5	Bindande KGV: 3 ppm Bindande KGV: 7.5 mg/m ³ NGV: 1 ppm NGV: 2.5 mg/m ³ H*	S+ TWA: 2 ppm TWA: 5 mg/m ³ STEL: 4 ppm STEL: 10 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Sk*
Sodium hydroxide 1310-73-2	Bindande KGV: 2 mg/m ³ NGV: 1 mg/m ³	TWA: 2 mg/m ³ STEL: 2 mg/m ³	STEL: 2 mg/m ³
Ethanol 64-17-5	Vägledande KGV: 1000 ppm Vägledande KGV: 1900 mg/m ³ NGV: 500 ppm NGV: 1000 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ STEL: 1000 ppm STEL: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³ STEL: 3000 ppm STEL: 5760 mg/m ³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Propan-2-ol 67-63-0	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
2-Butoxyethanol 111-76-2	-	-	-	-	200 mg/g Creatinine (urine - Butoxyacetic acid end of shift at end of workweek) 0.17 mmol/mmol Creatinine (urine - Butoxyacetic acid end of shift at end of workweek)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Propan-2-ol 67-63-0	-	-	-	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift)

				of exposure or end of shift) blood	
2-Butoxyethanol 111-76-2	-	-	-	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
Propan-2-ol 67-63-0	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek	
2-Butoxyethanol 111-76-2	-	200 mg/g Creatinine (urine - end of shift)	-	200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Propan-2-ol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
Propan-2-ol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	40 mg/L (urine - Acetone end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-	
2-Butoxyethanol 111-76-2	150 mg/g Creatinine - urine (Butoxyacetic acid (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	200 mg/g Creatinine (urine - Butoxyacetic acid (with hydrolysis) end of shift)	150 mg/g creatinine (urine - 2-Butoxyacetic acid (after hydrolysis) end of shift, and after several shifts (for long-term exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift	

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Petroleum gases, liquefied 68476-85-7	-	23.4 mg/kg bw/day [4] [6]	-

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m ³ [4] [6]
2-Butoxyethanol 111-76-2	-	125 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	98 mg/m ³ [4] [6] 1091 mg/m ³ [4] [7] 246 mg/m ³ [5] [7]
2-Aminoethanol 141-43-5	-	3 mg/kg bw/day [4] [6]	1 mg/m ³ [4] [6] 0.51 mg/m ³ [5] [6]
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	-	119 mg/kg bw/day [4] [6]	7.6 mg/m ³ [4] [6]
Alcohol C9-11, ethoxylated 68439-46-3	-	2080 mg/kg bw/day [4] [6]	294 mg/m ³ [4] [6]
Benzyl-C12-14-alkyldimethylammoniu m chlorides 68424-85-1	-	5.7 mg/kg bw/day [4] [6]	3.96 mg/m ³ [4] [6]
Sodium hydroxide 1310-73-2	-	-	1 mg/m ³ [5] [6]
Ethanol 64-17-5	-	343 mg/kg bw/day [4] [6]	950 mg/m ³ [4] [6] 1900 mg/m ³ [5] [7]

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m ³ [4] [6]
2-Butoxyethanol 111-76-2	6.3 mg/kg bw/day [4] [6] 26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	59 mg/m ³ [4] [6] 426 mg/m ³ [4] [7] 147 mg/m ³ [5] [7]
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-47-8	18.75 mg/kg bw/day [4] [6]	-	-
2-Aminoethanol 141-43-5	1.5 mg/kg bw/day [4] [6]	-	0.18 mg/m ³ [4] [6] 0.28 mg/m ³ [5] [6]
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	0.425 mg/kg bw/day [4] [6]	-	1.3 mg/m ³ [4] [6]
Alcohol C9-11, ethoxylated 68439-46-3	25 mg/kg bw/day [4] [6]	-	87 mg/m ³ [4] [6]
Benzyl-C12-14-alkyldimethylammoniu m chlorides 68424-85-1	3.4 mg/kg bw/day [4] [6]	-	1.64 mg/m ³ [4] [6]
Sodium hydroxide 1310-73-2	-	-	1 mg/m ³ [5] [6]
Ethanol 64-17-5	87 mg/kg bw/day [4] [6]	-	114 mg/m ³ [4] [6] 950 mg/m ³ [5] [7]

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
2-Butoxyethanol	8.8 mg/L	26.4 mg/L	0.88 mg/L	-	-

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
111-76-2					
2-Aminoethanol 141-43-5	0.07 mg/L	0.028 mg/L	0.007 mg/L	-	-
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	0.268 mg/L	0.0167 mg/L	0.0268 mg/L	-	-
Alcohol C9-11, ethoxylated 68439-46-3	0.10379 mg/L	0.014 mg/L	0.10379 mg/L	-	-
Benzyl-C12-14-alkyldimethylammonium chlorides 68424-85-1	0.0009 mg/L	0.00016 mg/L	0.00096 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
2-Butoxyethanol 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food
2-Aminoethanol 141-43-5	0.357 mg/kg sediment dw	0.0357 mg/kg sediment dw	100 mg/L	1.29 mg/kg soil dw	-
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	8.1 mg/kg sediment dw	6.8 mg/kg sediment dw	3.43 mg/L	35 mg/kg soil dw	-
Alcohol C9-11, ethoxylated 68439-46-3	13.7 mg/kg sediment dw	13.7 mg/kg sediment dw	1.4 mg/L	1 mg/kg soil dw	-
Benzyl-C12-14-alkyldimethylammonium chlorides 68424-85-1	12.27 mg/kg sediment dw	13.09 mg/kg sediment dw	0.4 mg/L	7 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

Hand protection

Impervious gloves. Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Aerosol
Appearance	Foam
Color	white
Odor	Odorless.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	Extremely flammable aerosol
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	pH (concentrated solution): 7-8
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	Soluble in water
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	No data available	None known
Bulk density	0.895 kg/l	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive properties	Not considered to be explosive.
Oxidizing properties	Does not meet the criteria for classification as oxidising.

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	41,361.50 mg/kg
ATEmix (dermal)	93,283.70 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	1,000.80 mg/l

ATEmix (inhalation-dust/mist) 99,999.0000000000 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
2-Butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
2-Aminoethanol	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	> 1.3 mg/L (Rat) 6 h
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h = 133.8 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitization** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT - single exposure** Based on available data, the classification criteria are not met.**STOT - repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**11.2. Information on other hazards****11.2.1. .****Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.**11.2.2. Other information****Other adverse effects** No information available.

SECTION 12: Ecological information**12.1. Toxicity****Ecotoxicity**

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propan-2-ol	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i>) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =9640mg/L (96h, <i>Pimephales promelas</i>) LC50: =11130mg/L (96h, <i>Pimephales promelas</i>) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i>)
2-Butoxyethanol	-	LC50: =1490mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =2950mg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: >1000mg/L (48h, <i>Daphnia magna</i>)
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	-	LC50: =45mg/L (96h, <i>Pimephales promelas</i>) LC50: =2.2mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =2.4mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	-
2-Aminoethanol	EC50: =15mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =227mg/L (96h, <i>Pimephales promelas</i>) LC50: =3684mg/L (96h, <i>Brachydanio rerio</i>) LC50: 300 - 1000mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 114 - 196mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: >200mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	EC50: =65mg/L (48h, <i>Daphnia magna</i>)
Sodium hydroxide	-	LC50: =45.4mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	-
Ethanol	-	LC50: 12.0 - 16.0mL/L (96h, <i>Oncorhynchus mykiss</i>) LC50: >100mg/L (96h, <i>Pimephales promelas</i>) LC50: 13400 - 15100mg/L (96h, <i>Pimephales promelas</i>)	-	LC50: 9268 - 14221mg/L (48h, <i>Daphnia magna</i>) EC50: =2mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability**Persistence and degradability** No information available.**12.3. Bioaccumulative potential****Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
Petroleum gases, liquefied	2.8

Propan-2-ol	0.05
2-Butoxyethanol	0.81
2-Aminoethanol	-2.3
Ethanol	-0.35

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Petroleum gases, liquefied	The substance is not PBT / vPvB
Propan-2-ol	The substance is not PBT / vPvB
2-Butoxyethanol	The substance is not PBT / vPvB
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	The substance is not PBT / vPvB
2-Aminoethanol	The substance is not PBT / vPvB
Sodium hydroxide	The substance is not PBT / vPvB
Ethanol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	A145, A167, A98, A802
ERG Code	2L

IMDG

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	63,190, 277, 327, 344, 381, 959
EmS-No.	F-D, S-U
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	190, 327, 344, 625
Classification code	5F

ADR

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	No
14.6 Special precautions for user	
Special Provisions	327, 625, 344, 190
Classification code	5F
Tunnel restriction code	(D)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number
Propan-2-ol - 67-63-0	RG 84
2-Butoxyethanol - 111-76-2	RG 84
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics - 64742-47-8	RG 84
2-Aminoethanol - 141-43-5	RG 49, RG 49bis
Ethanol - 64-17-5	RG 84

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Ethanol	Present	-	Fertility Category 1A Development Category 1A Can be harmful via breastfeeding

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Petroleum gases, liquefied - 68476-85-7	Use restricted. See item 28. Use restricted. See item 29. Use restricted. See item 75.	-
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-
2-Butoxyethanol - 111-76-2	Use restricted. See item 75.	-
2-Aminoethanol - 141-43-5	Use restricted. See item 75.	-
Sodium hydroxide - 1310-73-2	Use restricted. See item 75.	-

Persistent Organic Pollutants

Not applicable

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Petroleum gases, liquefied - 68476-85-7	50	200

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene
Ethanol - 64-17-5	Product-type 1: Human hygiene Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H220 - Extremely flammable gas

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Sk*

Skin designation

+ Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 12-12-2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet